

L Number	Hits	Search Text	DB	Time stamp
1	1	((random adj2 generat\$4) near10 (ID or subscriber\$1 or address\$4 or identifier\$1) near10 (terminal\$1 or machine\$1)) same ((multiplex\$4 or embed\$4 or (vertical adj2 blanking)) same control\$4 or command or instructtion\$1)	USPAT	2004/03/13 11:02
2	4	((random adj2 generat\$4) near10 (ID or subscriber\$1 or address\$4 or identifier\$1) near10 (terminal\$1 or machine\$1)) same ((multiplex\$4 or embed\$4 or (vertical adj2 blanking)) same control\$4 or command or instruction\$1)	USPAT	2004/03/13 11:33
3	2	((random adj2 generat\$4) near10 (ID or subscriber\$1 or address\$4 or identifier\$1) near10 (terminal\$1 or machine\$1)) same (multiplex\$4 or embed\$4 or (vertical adj2 blanking))	USPAT	2004/03/13 11:07
4	3	((random adj2 generat\$4) near10 (ID or subscriber\$1 or address\$4 or identifier\$1) near10 (terminal\$1 or machine\$1)) same (multiplex\$4 or embed\$4 or (vertical adj2 blanking))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/13 11:08
5	8	((random adj2 generat\$4) near10 (ID or subscriber\$1 or address\$4 or identifier\$1)) same (terminal\$1 or machine\$1) same (multiplex\$4 or embed\$4 or (vertical adj2 blanking))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/13 11:10
7	254	((random adj2 generat\$4) near10 (ID or subscriber\$1 or address\$4 or identifier\$1)) and (terminal\$1 or machine\$1) and ((multiplex\$4 or embed\$4 or (vertical adj2 blanking)) same (ID or identifier\$1 or subscriber\$1 or address\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/13 12:03
8	2758	((ID or subscriber\$1 or address\$4 or identifier\$1) near10 (terminal\$1 or machine\$1)) same (multiplex\$4 or embed\$4 or (vertical adj2 blanking)) same (control\$4 or command or instruction\$1)	USPAT	2004/03/13 12:04
9	170	((ID or subscriber\$1 or address\$4 or identifier\$1) near10 (terminal\$1 or machine\$1)) same (multiplex\$4 or embed\$4 or (vertical adj2 blanking)) same (control\$4 or command or instruction\$1) same remote	USPAT	2004/03/13 11:42
10	803	((ID or subscriber\$1 or address\$4 or identifier\$1) near10 (terminal\$1 or machine\$1)) same (multiplex\$4 or embed\$4 or (vertical adj2 blanking)) same (control\$4 or command or instruction\$1) same transmi\$5	USPAT	2004/03/13 11:56
11	0	((ID or subscriber\$1 or address\$4 or identifier\$1) near10 (terminal\$1 or machine\$1)) same (multiplex\$4 or embed\$4 or (vertical adj2 blanking)) same (control\$4 or command or instruction\$1) same transmi\$5) and 724/\$.ccls.	USPAT	2004/03/13 11:50
12	100	((ID or subscriber\$1 or address\$4 or identifier\$1) near10 (terminal\$1 or machine\$1)) same (multiplex\$4 or embed\$4 or (vertical adj2 blanking)) same (control\$4 or command or instruction\$1) same transmi\$5) and 725/\$.ccls.	USPAT	2004/03/13 11:56
13	6	((ID or subscriber\$1 or address\$4 or identifier\$1) near10 (terminal\$1 or machine\$1)) same (multiplex\$4 or embed\$4 or (vertical adj2 blanking)) same (control\$4 or command or instruction\$1) same transmi\$5 and 386/\$.ccls.	USPAT	2004/03/13 11:57
14	33	(compress\$4 adj2 code\$1) near10 (channel near10 date near10 length)	USPAT	2004/03/13 11:59

6	401	((random adj2 generat\$4) near10 (ID or subscriber\$1 or address\$4 or identifier\$1)) and (terminal\$1 or machine\$1) and (multiplex\$4 or embed\$4 or (vertical adj2 blanking))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/13 12:00
15	1	((random adj2 generat\$4) near10 (ID or subscriber\$1 or address\$4 or identifier\$1)) and (terminal\$1 or machine\$1) and ((multiplex\$4 or embed\$4 or (vertical adj2 blanking)) same (ID or identifier\$1 or subscriber\$1 or address\$1)) same (two adj2 way\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/13 12:04
16	44	((ID or subscriber\$1 or address\$4 or identifier\$1) near10 (terminal\$1 or machine\$1)) same (multiplex\$4 or embed\$4 or (vertical adj2 blanking)) same (control\$4 or command or instruction\$1) same (two adj2 way\$1)	USPAT	2004/03/13 12:05

L Number	Hits	Search Text	DB	Time stamp
1	1	((random adj2 generat\$4) near10 (ID or subscriber\$1 or address\$4 or identifier\$1) near10 (terminal\$1 or machine\$1)) same ((multiplex\$4 or embed\$4 or (vertical adj2 blanking)) same control\$4 or command or instructtion\$1)	USPAT	2004/03/13 11:02
2	4	((random adj2 generat\$4) near10 (ID or subscriber\$1 or address\$4 or identifier\$1) near10 (terminal\$1 or machine\$1)) same ((multiplex\$4 or embed\$4 or (vertical adj2 blanking)) same control\$4 or command or instruction\$1)	USPAT	2004/03/13 11:33
3	2	((random adj2 generat\$4) near10 (ID or subscriber\$1 or address\$4 or identifier\$1) near10 (terminal\$1 or machine\$1)) same (multiplex\$4 or embed\$4 or (vertical adj2 blanking))	USPAT	2004/03/13 11:07
4	3	((random adj2 generat\$4) near10 (ID or subscriber\$1 or address\$4 or identifier\$1) near10 (terminal\$1 or machine\$1)) same (multiplex\$4 or embed\$4 or (vertical adj2 blanking))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/13 11:08
5	8	((random adj2 generat\$4) near10 (ID or subscriber\$1 or address\$4 or identifier\$1)) same (terminal\$1 or machine\$1) same (multiplex\$4 or embed\$4 or (vertical adj2 blanking))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/13 11:10
7	254	((random adj2 generat\$4) near10 (ID or subscriber\$1 or address\$4 or identifier\$1)) and (terminal\$1 or machine\$1) and ((multiplex\$4 or embed\$4 or (vertical adj2 blanking)) same (ID or identifier\$1 or subscriber\$1 or address\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/13 11:13
8	2758	((ID or subscriber\$1 or address\$4 or identifier\$1) near10 (terminal\$1 or machine\$1)) same (multiplex\$4 or embed\$4 or (vertical adj2 blanking)) same (control\$4 or command or instruction\$1)	USPAT	2004/03/13 11:37
9	170	((ID or subscriber\$1 or address\$4 or identifier\$1) near10 (terminal\$1 or machine\$1)) same (multiplex\$4 or embed\$4 or (vertical adj2 blanking)) same (control\$4 or command or instruction\$1) same remote	USPAT	2004/03/13 11:42
10	803	((ID or subscriber\$1 or address\$4 or identifier\$1) near10 (terminal\$1 or machine\$1)) same (multiplex\$4 or embed\$4 or (vertical adj2 blanking)) same (control\$4 or command or instruction\$1) same transmi\$5	USPAT	2004/03/13 11:56
11	0	((ID or subscriber\$1 or address\$4 or identifier\$1) near10 (terminal\$1 or machine\$1)) same (multiplex\$4 or embed\$4 or (vertical adj2 blanking)) same (control\$4 or command or instruction\$1) same transmi\$5) and 724/\$.ccls.	USPAT	2004/03/13 11:50
12	100	((ID or subscriber\$1 or address\$4 or identifier\$1) near10 (terminal\$1 or machine\$1)) same (multiplex\$4 or embed\$4 or (vertical adj2 blanking)) same (control\$4 or command or instruction\$1) same transmi\$5) and 725/\$.ccls.	USPAT	2004/03/13 11:56
13	6	((ID or subscriber\$1 or address\$4 or identifier\$1) near10 (terminal\$1 or machine\$1)) same (multiplex\$4 or embed\$4 or (vertical adj2 blanking)) same (control\$4 or command or instruction\$1) same transmi\$5 and 386/\$.ccls.	USPAT	2004/03/13 11:57
14	33	(compress\$4 adj2 code\$1) near10 (channel near10 date near10 length)	USPAT	2004/03/13 11:59

6	401	((random adj2 generat\$4) near10 (ID or subscriber\$1 or address\$4 or identifier\$1)) and (terminal\$1 or machine\$1) and (multiplex\$4 or embed\$4 or (vertical adj2 blanking))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/13 12:00
---	-----	---	---	------------------